### SAFETY DATA SHEET

# **Bacillol AF**

Version Revision Date: SDS Number: Date of last issue: 12.06.2020 1.13 28.07.2020 R11072 Date of first issue: 06.06.2014

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Bacillol AF

Product code : R11072

Manufacturer or supplier's details

Manufacturer : BODE Chemie GmbH

Melanchthonstraße 27 22525 Hamburg (Germany) Tel.: +49 (0)40 / 54 00 60

Supplier :

Responsible Department : Scientific Affairs

kundenservice-SIDA@bode-chemie.de

Emergency telephone number : Giftnotruf Göttingen

24h-Phone +49 (0)551 / 1 92 40

Recommended use of the chemical and restrictions on use

Recommended use : In-door use

Disinfectants and algaecides not intended for direct application to

Order here!

humans or animals

Food and feed area disinfectants

For further information, refer to the product technical data sheet.

### 2. HAZARDS IDENTIFICATION

**GHS Classification** 

Flammable liquids : Category 3

Serious eye damage/eye irritation : Category 1

Specific target organ toxicity -

single exposure

Category 3 (Central nervous system)

**GHS label elements** 

Hazard pictograms :







Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.

H318 Causes serious eye damage. H336 May cause drowsiness or dizziness.

Precautionary statements : P102 Keep out of reach of children.

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking. P261 Avoid breathing vapours.

P280 Wear protective gloves/ eye protection/ face protection.

### Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal

### Other hazards which do not result in classification

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Propan-1-ol	71-23-8	>= 30 - < 50
Propan-2-ol	67-63-0	>= 20 - < 30
Ethanol	64-17-5	>= 1 - < 10

### 4. FIRST AID MEASURES

General advice : If you feel unwell, seek medical advice (show the label where possi-

ble).

If inhaled : Move to fresh air.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off with plenty of water.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes.

If swallowed : Rinse mouth with water.

Do NOT induce vomiting.

Most important symptoms and

effects, both acute and delayed

: Causes serious eye damage.

Notes to physician : For specialist advice physicians should contact the Poisons Infor-

mation Service.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Specific hazards during fire-

fighting

Cool closed containers exposed to fire with water spray.

Hazardous combustion products : No hazardous combustion products are known

Special protective equipment for

firefighters

Use personal protective equipment.

In the event of fire, wear self-contained breathing apparatus.

### **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency pro-

Ensure adequate ventilation. Remove all sources of ignition.

cedures

Environmental precautions : Should not be released into the environment.

Methods and materials for con-

tainment and cleaning up

Clean-up methods - small spillage

Wipe up with absorbent material (e.g. cloth, fleece).

Clean-up methods - large spillage

Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust).

### 7. HANDLING AND STORAGE

Advice on protection against fire

and explosion

Take measures to prevent the build up of electrostatic charge.

Keep away from open flames, hot surfaces and sources of ignition. Vapours may form explosive mixtures with air.

Vapours are heavier than air and may spread along floors. Provide sufficient air exchange and/or exhaust in work rooms.

Advice on safe handling : For personal protection see section 8.

Avoid contact with eyes.

Conditions for safe storage : Store at room temperature in the original container.

Keep tightly closed.

Materials to avoid : Keep away from food and drink.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible con- centration	Basis
Propan-1-ol	71-23-8	TWA	100 ppm	ACGIH
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
Ethanol	64-17-5	STEL	1.000 ppm	ACGIH

## Biological occupational exposure limits

Components	CAS-No.	Control pa-	Biological	Sampling	Permissible	Basis
		rameters	specimen	time	concentration	
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of workweek	40 mg/l	ACGIH BEI

### Personal protective equipment

Eye protection : Safety glasses with side-shields conforming to EN166

Hygiene measures : Handle in accordance with good industrial hygiene and safety prac-

tice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : colourless

Odour : alcohol-like

pH : 6 (20 °C)

Boiling point/boiling range : > 80 °C

Flash point : 25 °C

Method: DIN 51755 Part 1

Lower explosion limit / Lower

flammability limit

Lower flammability limit

2 %(V)

Vapour pressure : 40 hPa (20 °C)

Density : 0,86 g/cm3 (20 °C)

Solubility(ies)

Water solubility : soluble

### 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : The product is chemically stable.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : Heat

Strong sunlight for prolonged periods.

Incompatible materials : None.

Hazardous decomposition prod-

ucts

No decomposition if stored and applied as directed.

### 11. TOXICOLOGICAL INFORMATION

## **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute inhalation toxicity : Acute toxicity estimate: > 40 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5.000 mg/kg

Method: Calculation method

**Components:** 

Propan-1-ol (CAS: 71-23-8):

Acute oral toxicity : LD50 Oral (Rat): 8.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 33,8 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 Dermal (Rabbit): 4.032 mg/kg

Method: OECD Test Guideline 402

Propan-2-ol (CAS: 67-63-0):

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5.000 mg/kg

Ethanol (CAS: 64-17-5):

Acute oral toxicity : LD50 Oral (Rat): 10.470 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 51 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

#### Skin corrosion/irritation

Not classified based on available information.

### **Components:**

Propan-1-ol (CAS: 71-23-8):

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Propan-2-ol (CAS: 67-63-0):

Species : Rabbit

Result : No skin irritation

Ethanol (CAS: 64-17-5):

Species : human skin
Result : Mild skin irritation

Remarks : Based on available data, the classification criteria are not met.

#### Serious eye damage/eye irritation

Causes serious eye damage.

## **Components:**

Propan-1-ol (CAS: 71-23-8):

Species : Rabbit

Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

Propan-2-ol (CAS: 67-63-0):

Species : Rabbit Result : Eye irritation

Ethanol (CAS: 64-17-5):

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritating to eyes.

## Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

### **Respiratory sensitisation**

Not classified based on available information.

### **Components:**

Propan-1-ol (CAS: 71-23-8):

Test Type : Maximisation Test Species : Guinea pig

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

Propan-2-ol (CAS: 67-63-0):

Test Type : Buehler Test Species : Guinea pig

Result : Did not cause sensitisation on laboratory animals.

Ethanol (CAS: 64-17-5):

Species : Mouse

Method : OECD Test Guideline 429
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

Propan-1-ol (CAS: 71-23-8):

Genotoxicity in vitro : Test Type: in vitro assay

Result: negative

Propan-2-ol (CAS: 67-63-0):

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

No data available

**Aspiration toxicity** 

Not classified based on available information.

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

**Neurological effects** 

No data available

#### 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

**Components:** 

Propan-1-ol (CAS: 71-23-8):

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 4.555 mg/l

Exposure time: 96 h

Test Type: flow-through test Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3.644 mg/l

Exposure time: 48 h Test Type: static test Method: DIN 38412

Toxicity to algae/aquatic plants : NOEC ( Chlorella pyrenoidosa (aglae)): 1.150 mg/l

Exposure time: 48 h
Test Type: Growth inhibition

EC50 (Pseudokirchneriella subcapitata (green algae)): 9.170 mg/l

Exposure time: 72 h
Test Type: Growth inhibition

Toxicity to microorganisms : IC50 (Bacteria): > 1.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Propan-2-ol (CAS: 67-63-0):

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 ( Scenedesmus capricornutum (fresh water algae)): > 100 mg/l

Exposure time: 72 h

Ethanol (CAS: 64-17-5):

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 8.140 mg/l

Exposure time: 48 h Method: DIN 38412

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 9.268 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 ( Selenastrum capricornutum (green algae)): 5.000 mg/l

Exposure time: 7 d

Persistence and degradability

**Product:** 

Biodegradability : Remarks: According to the results of tests of biodegradability this

product is considered as being readily biodegradable.

**Components:** 

Propan-1-ol (CAS: 71-23-8):

Biodegradability : Result: Readily biodegradable.

R11072 7 / 10 International

Ethanol (CAS: 64-17-5):

Biodegradability : Remarks: Readily biodegradable, according to appropriate OECD

test.

**Bioaccumulative potential** 

No data available

Mobility in soil

No data available

Other adverse effects

No data available

#### 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Dispose of as hazardous waste in compliance with local and national

regulations.

Waste codes should be assigned by the user, preferably in discus-

sion with the waste disposal authorities.

Contaminated packaging : Empty remaining contents.

Store containers and offer for recycling of material when in accord-

ance with the local regulations.

### 14. TRANSPORT INFORMATION

ADR

UN number : UN 1987

Proper shipping name : ALCOHOLS, N.O.S.

(propan-1-ol, propan-2-ol)

Class : 3
Packing group : III
Labels : 3
Hazard Identification Number : 30
Tunnel restriction code : (D/E)

**UNRTDG** 

UN number : UN 1987

Proper shipping name : ALCOHOLS, N.O.S.

(propan-1-ol, propan-2-ol)

Class : 3
Packing group : III
Labels : 3

IATA-DGR

UN/ID No. : UN 1987
Proper shipping name : Alcohols, n.o.s.

(propan-1-ol, propan-2-ol)

Class : 3 Packing group : III

Labels : Flammable Liquids

Packing instruction (cargo air- : 366

craft)

Packing instruction (passenger : 355

aircraft)

**IMDG-Code** 

UN number : UN 1987

Proper shipping name : ALCOHOLS, N.O.S.

(propan-1-ol, propan-2-ol)

Class : 3 Packing group : III

Labels : 3 EmS Code : F-E, S-D Marine pollutant : no

## Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

### Labelling

Symbol(s) : Xi

Risk phrase(s) : R10 Flammable.

R41 Risk of serious damage to eyes.

R67 Vapours may cause drowsiness and dizziness.

Safety phrase(s) : S 9 Keep container in a well-ventilated place.

S26 In case of contact with eyes, rinse immediately with plenty of

water and seek medical advice. S39 Wear eye/face protection.

S60 This material and its container must be disposed of as haz-

ardous waste.

### International Regulations


# **16. OTHER INFORMATION**

## Safety datasheet sections which have been updated:

13. Disposal considerations

## **Further information**

### NFPA:



Special hazard

## HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

## Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS -Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TC / EN

